# Tork Universal Toiletpapir Rulle Ekstra Lang



**Artikel**: 120460

System: T4 - Traditionelt toiletsystem

Lag: 2

Farve: Natur Tryk: Nej Prægning: Ja

**Rullebredde:** 9.9 cm **Rullelængde:** 65.8 m

Antal ark: 472
Arklængde: 14 cm
Rullediameter: 12 cm

Indvendig kernediameter: 3.8 cm

## Produktspecifikation

- •Toiletrulle i basiskvalitet
- •Rullen indeholder 66 m, så den holder længere end traditionelt toiletpapir
- •Ideel til toiletter med mange besøg
- •4 ruller pr. pakke

### Forsendelsesdata

Forbrugerenhed:

EAN: 7322540108422

Stk.: 4

Materiale: Plastic Højde: 198 mm Bredde: 123 mm Længde: 246 mm Volumen: 6.0 dm3 Nettovægt: 902 g Bruttovægt: 932 g Transportenhed:

EAN: 7322540108439

Stk.: 24

Forbrugerenheder: 6
Materiale: Plastic
Højde: 198 mm
Bredde: 250 mm
Længde: 700 mm
Volumen: 34.7 dm3
Nettovægt: 5.41 kg
Bruttovægt: 5.63 kg

### Miljø

Content

Recycled fibres, Chemicals

Material

Recycled fibres Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

#### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are: Dry strength agent If coloured = Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel. This product is approved for Swan label, licence 305 003.

Date of issue 2007-08-27

Revision date 2009-11-02

#### Production

This product is produced in Lilla Edet Mill, SE, certified according to ISO 9001, ISO 14001.

#### Destruction

This product is suitable to be taken care of in the normal sewage system of the community.